



Article published on May 10th 2012 | [Health](#)

A breast lift is a best solution for sagging breasts. During the treatment, the breasts are lifted and reshaped. With the passage of time, factors such as pregnancy, breastfeeding, weight gain or loss, affect the women's breast. When the skin becomes loose, the breast often loses its shape and firmness and tends to sag. Here Breast Lift Seattle offers a good solution. It provides a surgical treatment to lift and reshape the sagging breasts.

At Seattle Breast implants, the breast lift is combined with the ingestion of breast implants as in most cases, it comes with improved cosmetic results. Breast implants will add firmness and reshapes the breasts. Women above 18 with large and sagging breasts can take this treatment.

Bellevue Breast Lift consists of several treatments to perform breast lift. The popular treatment consists of making anchor shaped cut means a cut around the areola, a cut from downside of nipple to the lower part of the breast and then an arch shaped cut that follows the natural shape of the breast. The excessive skin is removed and finally the nipple and areola are lifted up on the breast.

Another, latest technique is the vertical method or known as lollipop method, in which a cut is made around the areola and a vertical cut is made from the downside of the nipple to the lower part of the breast.

In both methods the fundamental principle is same. The advantage of vertical method is that the horizontal cut isn't made and therefore the patient will left with one scar less per breast. Generally, it is assumed that a bigger breast sags more, hence more the scars will be obtained. The hospitals and clinics often, don't inform the techniques used. But at Bel-Red Center, Bellevue, you'll be given options to make a sensible decision.

Seattle Breast Lift operation is mostly a fast treatment whose recuperation time is also less and tends to avoid complications which are assumed to be very hard. The clients are allowed to return to home on the same day of the operation. They become able to restart their regular activities within a week or max two.

Complications rise with breast lift treatment

A breast lift treatment is done in 2- 4 hours, varies according to an extent of surgery. However, the breast lift treatment tends to cause swelling, restlessness, nausea, permanent scars and dry skin on the breast. The breasts pain for about two weeks. Also there is a risk of lousy healing which can cause big and ugly scars. Infection can cause the skin falling off. The feeling of nipples is lost permanently.

The breasts may tend to enlarge for several weeks after the treatment. Therefore, certain physical activities such as sports, heavy weight lifting etc. should be refrained to avoid such additional complications. You should wait for the proper recovery of your breasts. Moreover the scar problems can be lessened by using Dermaroller, a very active gadget that encourages natural collagen and increases the flexibility of the skin around the scars, enables the body to recover fast.

<http://www.articleside.com/health-articles/fast-recovery-after-breast-lift-treatment.htm> - [Article Side](#)

[Belredcosmetic](#) - About Author:

For more information visit us at [Seattle Eyelid Surgery](#) And [Cosmetic Surgeon Seattle](#) .

Article Keywords:

Plastic Surgeon Seattle,Seattle Plastic Surgeon,Seattle Cosmetic Surgeon

You can find more [free articles](#) on [Article Side](#). Sign up today and share your knowledge to the community! It is completely FREE!